

TECHNICAL DATA SHEET

RUKHMINI
Inspired by Science

RH-500

(Nano Particle Size Styrene Acrylic Latex)

RH-500 is carboxylated nano particle size latex with very high strength.

TECHNICAL DATA

Solids	: 50 ± 1 %
pH	: 7 - 8
Tg	: 13 - 16 °C
Viscosity (cps)	: 100-200
Particle Size (nm)	: 85-90

APPLICATION

RH-500 is suitable to use in paper board coating applications, with very good runnability.

FEATURES & BENEFITS

RH-500 is an carboxylated latex designed for topcoat of coated board. It has excellent wet & dry pick resistance for offset printing. It provides high print gloss, without blistering to web offset grades. RH-500 contributes to good coating rheology and has the flexibility to perform well with blade and rod application methods.

RUKHMINI COATINGS PVT LTD

Office: 201, Highway Castle, Near Maruti-Suzuki Showroom,
Amravati road, NAGPUR 440023, Phone: +98230 67733/98230 65506,
E-mail: rukhminicoatings@gmail.com, Web: <http://www.rukhmini.co.in>

NOTE: BECAUSE OF OUR CONTINUOUS EFFORTS IN R & D SOME PRODUCT PARAMETERS MAY DIFFER